



Contents lists available at [ScienceDirect](#)

Technical Innovations & Patient Support in Radiation Oncology

journal homepage: www.elsevier.com/locate/tipsro



Erratum

Erratum to “The impact of intra-fractional bladder filling on “Plan of the day” adaptive bladder radiotherapy” [Tech. Innov. Patient Supp. Radiat. Oncol. 9 (2019) 31–34]



Aisling Krishnan^a, Yat Man Tsang^a, Adèle Stewart-Lord^b

^aEast and North Hertfordshire NHS Trust, Radiotherapy, Mount Vernon Cancer Centre, Northwood, Middlesex HA6 2RN, United Kingdom

^bSchool of Health and Social Care, London South Bank University, 103 Borough Road, London SE1 0AA, United Kingdom

It has come to the Publisher's attention that the above published article was missing an ethics statement stating informed consent was sought.

The following statement has been supplied by the author:

Due to this study being a retrospective audit, it was confirmed that patient consent for the use of anonymous clinical information and images for audit purposes had already been obtained by the bladder radiotherapy consent form that all patients signed upon agreeing to have adaptive bladder radiotherapy treatment.

Both the Authors and Publisher would like to apologise for the oversight.

DOI of original article: <https://doi.org/10.1016/j.tipsro.2019.01.001>

E-mail address: aislingkrishnan@nhs.net (A. Krishnan).

<https://doi.org/10.1016/j.tipsro.2019.10.002>

2405-6324/© 2019 The Author(s). Published by Elsevier B.V. on behalf of European Society for Radiotherapy & Oncology.

This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).